



## Corneal Cross-linking (CXL) Epithelium-off

---

State(s):

Idaho  Montana  Oregon  Washington  Other:

LOB(s):

Commercial  Medicare  Medicaid

### Enterprise Policy

---

*Clinical Guidelines are written when necessary to provide guidance to providers and members in order to outline and clarify coverage criteria in accordance with the terms of the Member's policy. This Clinical Guideline only applies to PacificSource Health Plans, PacificSource Community Health Plans, and PacificSource Community Solutions in Idaho, Montana, Oregon, and Washington. Because of the changing nature of medicine, this list is subject to revision and update without notice. This document is designed for informational purposes only and is not an authorization or contract. Coverage determination are made on a case-by-case basis and subject to the terms, conditions, limitations, and exclusions of the Member's policy. Member policies differ in benefits and to the extent a conflict exists between the Clinical Guideline and the Member's policy, the Member's policy language shall control. Clinical Guidelines do not constitute medical advice nor guarantee coverage.*

### Background

---

Corneal cross-linking (CXL) is an outpatient procedure designed to treat progressive keratoconus and corneal ectasia (and sometimes other conditions that cause similar weakening of the cornea). Keratoconus is a progressive eye disease characterized by deformation (becomes cone shaped) of the cornea. Corneal ectasia is a form of keratoconus that occurs after refractive surgery. The goal of CXL is to stop the cornea from getting thinner, weaker, and more irregular in shape.

The CXL procedure strengthens and stabilizes the cornea by creating new links between collagen fibers within the cornea. The two-step procedure applies liquid riboflavin (vitamin B2) to the surface of the eye immediately followed by a controlled exposure of the eye to ultraviolet light.

There are 2 basic types of corneal cross-linking: Epithelium-off CXL and Epithelium-on CXL. In the Epithelium-off CXL procedure the thin outer layer (epithelium) of the cornea is removed to allow the liquid riboflavin to more easily penetrate the corneal tissue. The Avedro system of corneal crosslinking is currently the only FDA approved method of Epithelium-off CXL.

Epithelium-on (transepithelial) corneal collagen cross-linkage (CXL) is considered experimental, investigational or unproven.

### Criteria

---

#### Commercial

PacificSource considers corneal collagen cross-linking (CXL) epithelium-off using riboflavin and ultraviolet a medically necessary treatment when **ALL** the following are met:

**A. Diagnosis of either progressive keratoconus OR corneal ectasia; AND**

**B. ONE** of the following:

1. An increase of 1 diopter (D) in the steepest keratometry value; or
2. An increase of 1 D in regular astigmatism evaluated by subjective manifest refraction; or
3. A myopic shift (decrease in the spherical equivalent) of 0.50 D on subjective manifest refraction; or
4. A decrease  $\geq 0.1$  mm in the back optical zone radius in rigid contact lens wearers where other information was not available; or
5. Documented keratoconus by tomography in patients under the age of 25.

**NOTE: Riboflavin (Photrexa)** is considered part of the cost of the corneal collagen cross-linking (CXL) procedure and is not separately reimbursable.

### Medicaid

This policy does not apply to PacificSource Community Solutions members. PacificSource Community Solutions follows Oregon Health Plan (OHP) Oregon Administrative Rules (OARs) 410-120-1200(2)(a)-(ff), 410-120-0000(137), 410-141-3825(1)(a-i), and considers Corneal Cross-linking (CXL) Epithelium-off not a covered benefit.

### Medicare

PacificSource Medicare follows CMS guidelines and criteria. In the absence of internal policy guidelines, CMS criteria, and evidence-based criteria, requests are reviewed on an individual basis for determination of coverage and medical necessity.

### Experimental/Investigational/Unproven

---

PacificSource considers the following procedures experimental, investigational or unproven:

- Epithelium-on (transepithelial) corneal collagen cross-linkage (CXL).
- Partial Epithelium-off Corneal Cross-linking (P-CXL).
- Topography-guided Corneal Cross-linking (TG-CXL).

### Coding Information

---

The following list of codes are for informational purposes only and may not be all-inclusive. Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement.

0402T Collagen cross-linking of cornea (including removal of the corneal epithelium and intraoperative pachymetry when performed)

66999 Unlisted procedure, anterior segment of eye

J2787 Riboflavin 5'-phosphate, ophthalmic solution, up to 3 mL

## Definitions

---

Corneal epithelium - outer layer of the cornea, slightly less than 10 percent of the thickness of the entire cornea.

Corneal stroma - middle layer of the cornea about 90 percent of the thickness of the overall composed of strands of connective tissue called collagen fibrils.

Covalent bond – a chemical bond formed by the sharing of one or more electrons, especially pairs of electrons, between atoms in a molecule

Ectasia or Keratectasia - is a serious long-term complication of laser in situ keratomileusis (LASIK) surgery and photorefractive keratectomy; occurs postoperatively and primarily affects older populations. Characterized by progressive thinning and steepening of the cornea, resulting in corneal optical irregularities and loss of visual acuity.

Keratoconus - a degeneration of the structure of the cornea in which the corneal surface thins and begins to bulge into a cone shape, which is usually a myopic shift often associated with irregular astigmatism, leading to visual impairment.

## References

---

Bikbova G, et al. Standard corneal collagen crosslinking versus transepithelial iontophoresis-assisted corneal crosslinking, 24 months follow-up: randomized control trial. *Acta Ophthalmol*. 2016 Nov; 94(7): e600–e606 Accessed 03/19/2020. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5111766/>

Center for Medicare and Medicaid Services (CMS), Healthcare Common Procedure Coding System (HCPCS), application Summaries for Drugs, Biologicals and Radiopharmaceuticals, May 17, 2017, March 19, 2020

<https://www.cms.gov/Medicare/Coding/MedHCPCSGenInfo/Downloads/2017-05-17-HCPCS-Application-Summary.pdf>

FDA Center for Drug Evaluation and Research, Photrexa Viscous and Photrexa and KXL System, April 15, 2016, Accessed March 19, 2020

<https://www.fda.gov/media/102962/download>

Hayes Medical Technology Directory. Corneal Cross-linking for Treatment of Keratoconus (comparative effectiveness review) Landsdale, PA: Hayes, Inc. February 15, 2018

Hayes-News Government. FDA approves First-in-Class Treatment of Progressive Keratoconus. Landsdale, PA: Hayes, Inc. April 20, 2016.

Hayes Search and Summary. Corneal Collagen Cross-Linking for Treatment of Lasik-related Ectasia. Landsdale, PA: Hayes, Inc. December 27, 2018

Hersh PS et al. United States Multicenter Clinical Trial of Corneal Collagen Crosslinking for Keratoconus Treatment. *Ophthalmology*. 2017 Sep;124(9):1259-1270. Accessed 2/28/2019, 3/19/2020 <https://www.ncbi.nlm.nih.gov/pubmed/28495149>

Mandathara PS et al. Outcome of Keratoconus Management: Review of the Past 20 Years' Contemporary Treatment Modalities. Eye Contact Lens. 2017 May;43(3):141-154. Accessed 2/28/2019,03/19/2020  
<http://www.ncbi.nlm.nih.gov/pubmed/27171132>

National Institute for Health and clinical Excellence (NICE). Photochemical corneal collagen cross-linkage using riboflavin and ultraviolet A for keratoconus and keratectasia. IPG466, September 2013 Accessed 3/19/2020  
<https://www.nice.org.uk/guidance/ipg466/evidence>

Peyman A et al. Collagen cross-linking effect on progressive keratoconus in patients younger than 18 years of age: A clinical trial. [Adv Biomed Res](#). 2015; 4: 245. Accessed 2/28/2019, 3/19/2020  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4685639/>

Rush SW et al. Epithelium-off versus transepithelial corneal collagen crosslinking for progressive corneal ectasia: a randomized and controlled trial. *BMJ Journals* vol. 101, issue 4. Accessed 2/28/2019, 3/19/2020. <http://bjo.bmj.com/content/101/4/503.full>

## Appendix

---

**Policy Number:** [Policy Number]

**Effective:** 4/23/2020

**Next review:** 2/1/2022

**Policy type:** Enterprise

**Author(s):**

**Depts:** Health Services

**Applicable regulation(s):** [Applicable Regulations(s)]

**Commercial Ops:** 10/2021

**Government Ops:** 10/2021